


# LeMans

## Band Saw Machines










[www.lemans-cnc.cz](http://www.lemans-cnc.cz)



### LSM 180x210







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	180	135	80
∇	180	135	80
∕	180 x 210	135 x 140	80 x 90

TECHNICAL SPECIFICATIONS					
					
0.75 kW ~1400 rpm	25-90 m/min	2310x20x0.9 mm	200 kg	910 mm	600x1300x1400 mm



### LSM 220x250







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	220	160	95
∇	200	140	75
∕	180 x 250	140 x 150	75 x 95


TECHNICAL SPECIFICATIONS					
					
1.1 kW ~1400 rpm	25-100 m/min	2500x27x0.9 mm	250 kg	915 mm	640x1450x1400 mm



### LDM 220x250







CUTTING CAPACITY (mm)				
	0°	45°	60°	-45°
∅	220	160	95	140
∇	200	140	75	120
∇	180 x 250	140 x 150	75 x 95	90 x 150

TECHNICAL SPECIFICATIONS					
					
1.1 kW ~1400 rpm	25-100 m/min	2500x27x0.9 mm	250 kg	915 mm	700x1450x1400 mm



### LDM 250x310







CUTTING CAPACITY (mm)				
	0°	45°	60°	-45°
∅	250	190	120	180
∇	250	190	120	150
∇	250 x 310	190 x 250	120 x 140	100 x 250

TECHNICAL SPECIFICATIONS					
					
1.5 kW ~1400 rpm	25-90 m/min	3150x27x0.9 mm	480 kg	730 mm	750x1650x1150 mm



### LFM 300x340 ENC







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	300	230	120
∇	280	210	110
▧	280 x 340	180 x 250	100 x 120

TECHNICAL SPECIFICATIONS					
					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	960 kg	750 mm	1220x2000x1300 mm



### LFM 300x340 PLC







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	300	230	120
∇	280	210	110
▧	280 x 340	180 x 250	100 x 120

TECHNICAL SPECIFICATIONS					
					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	960 kg	750 mm	1220x2000x1300 mm



### LFM 350x400 ENC







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	350	300	180
∇	330	280	160
▧	330 x 400	270 x 300	150 x 180

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4350x34x1.1 mm	1350 kg	750 mm	1300x2250x1400 mm



### LFM 350x400 PLC







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	350	300	180
∇	330	280	160
▧	330 x 400	270 x 300	150 x 180

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4350x34x1.1 mm	1350 kg	750 mm	1300x2250x1400 mm



### LFS 300x370







CUTTING CAPACITY (mm)	
	0°
∅	300
∕	280
∕	280 x 370


TECHNICAL SPECIFICATIONS					
					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	850 kg	740 mm	1200x1950x1300 mm



### LFS 350x450







CUTTING CAPACITY (mm)	
	0°
∅	350
∕	330
∕	330 x 450

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4300x34x1.1 mm	995 kg	730 mm	1150x2500x1300 mm



### LFS 300x370 PLC







CUTTING CAPACITY (mm)	
	0°
∅	300
∕	280
∕	280 x 370

TECHNICAL SPECIFICATIONS					
					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	850 kg	740 mm	1200x1950x1300 mm



### LFS 350x450 PLC

CUTTING CAPACITY (mm)	
	0°
∅	350
∕	330
∕	330 x 450

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4300x34x1.1 mm	995 kg	730 mm	1150x2500x1300 mm



### LFS 300x370 ENC

CUTTING CAPACITY (mm)	
	0°
∅	300
∕	280
∕	280 x 370

TECHNICAL SPECIFICATIONS					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	850 kg	740 mm	1200x1950x1300 mm



### LFS 350x450 ENC

CUTTING CAPACITY (mm)	
	0°
∅	350
∕	330
∕	330 x 450







TECHNICAL SPECIFICATIONS					
4 kW ~1400 rpm	25-90 m/min	4300x34x1.1 mm	995 kg	730 mm	1150x2500x1300 mm





### LAS 300x400







CUTTING CAPACITY (mm)	
	0°
∅	300
∕	280
∕	280 x 400

TECHNICAL SPECIFICATIONS					
					
2.2 kW ~1400 rpm	25-90 m/min	3850x27x0.9 mm	900 kg	750 mm	1050x1900x1300 mm



### LAS 350x450







CUTTING CAPACITY (mm)	
	0°
∅	350
∕	350
∕	350 x 450

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-100 m/min	4300x34x1.1 mm	995 kg	750 mm	1200x2500x1400 mm



### LAM 220x310 DM







CUTTING CAPACITY (mm)				
	0°	45°	60°	-45°
∅	220	200	120	180
∇	220	200	120	140
∩	220 x 310	200 x 200	120 x 130	90 x 220

TECHNICAL SPECIFICATIONS					
					
1.5 kW ~1400 rpm	25-90 m/min	3000x27x0.9 mm	480 kg	980 mm	900x1750x1400 mm



### LAM 300x500







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	300	290	180
∇	280	250	160
∩	280 x 420	250 x 260	80 x 280

TECHNICAL SPECIFICATIONS					
					
1.5 kW ~1400 rpm	25-90 m/min	3150x27x0.9 mm	480 kg	730 mm	750x1650x1150 mm



### LAM 350x570







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	350	350	240
∇	330	330	220
▧	330 x 530	300 x 350	200 x 270


TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4350x34x1.1 mm	1140 kg	750 mm	1400x2300x1450 mm



### LAM 400x580







CUTTING CAPACITY (mm)			
	0°	45°	60°
∅	400	350	200
∇	400	350	200
▧	400 x 580	350 x 400	200 x 400

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-90 m/min	4650x34x1.1 mm	1350 kg	745 mm	1400x2350x1500 mm



### LAM 400x610 DM

CUTTING CAPACITY (mm)				
	0°	45°	60°	-45°
∅	400	350	200	350
∇	400	350	200	350
∇	400 x 610	350 x 400	200 x 400	350 x 400

TECHNICAL SPECIFICATIONS					
					
4 kW ~1400 rpm	25-100 m/min	4650x34x1.1 mm	1350 kg	750 mm	1250x2300x1450 mm



Zengrova 110, Czech Republic, 280 02  
Kolin IV



[info@lemans-cnc.cz](mailto:info@lemans-cnc.cz)